
No.



200200230

HER UNIVERD SHAVIES OF AMTERIOR

ATI International Seeds and Rutgers, The State University of New Jersey

LOTORS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF AND THE VARIOUS REQUIREMENTS OF LAW INSUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANTS) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE: THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARUETY PROTECTION UNDER THE PAW.

THEREFORE THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID AND THE SUCCESSORS, HERS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY THE PATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC MABLE BASIC SEED OF THE VÁRIÉTÝ IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR CONTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE GEING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

FESCUE, RED

'Cindy Lou'

In Jestimony Aperest, I have hereunto set my hand and caused the seal of the Hunt Inviery Protection Office to be affixed at the City of Washington, D.C. this seventh day of December, in the year two thousand and five.

Plant Variety Protection Offic Agricultural Marketing Servi

CAPACITY OR TITLE

Director of Research

S&T-470 (07-01) designed by the Plant Variety Protection Office with WordPerfect 9.0.

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse) Application is required in order to determine if a plant v (7 U.S.C. 2421). Information is held confidential until c riely protection certificate is to be issued dificate is issued (7 U.S.C. 2426). 2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME 3. VARIETY NAME Jas DLF 3/30/05 Gebeen International Seeds and Rutgers, The State 3/30/05 Gebeen International Seeds and Rutgers, The State 4. ADDRESS (Street and No., or R.F.D. No., Cay, State, and ZIP Code, and Country) (87:8/48/3005) CIS-FRR 7 Cindy Lou 5. TELEPHONE (include area code) FOR OFFICIAL USE ONLY PO Box 229 PVPO NUMBER 541-369-2251 Halsey, OR 97348 200200230 USA 6. FAX (include area code) 541-369-2251 929-4087 **(6**1-8/18/2005) august 21,2002 IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (composition, partnership, association, etc.) 9. DATE OF INCORPORATION 8. IF INCORPORATED, GIVE STATE OF INCORPORATION 1972 Corporation Oregon 10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (First person listed will n FILING AND EXAMINATION Stephen W. Johnson

DLF Gebeco International Seeds and Rutgers, The State University of New Jersey
(87.8/18/2005) Stephen W. Johnson . 2705 Jas PO Box 229 Halsey, OR 97348 DATE 8/21/2002 CERTIFICATION FEE: · 682.00 DATE 10/3/2005 14 CROPKIND (Common Name)
Strong Creeping
Red Fescue 11. TELEPHONE (Include area code) 13 F-MASI 541-369-2251 STEVEJ@intlseed.com 15. GENUS AND SPECIES NAME OF CROP 17. IS THE VARIETY A FIRST GENERATION HYBRID? 16. FAMILY NAME (Botanical) Graminae Festuca rubra rubra 18. CHECK APPROPRIATE 80X FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse) DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF CERTIFIED SEED? See Section 83(a) of the Plant Variety Protection Acti a. 🔀 Exhibit A. Origin and Breeding History of the Variety YES (If "yes", answer items 20 NO (# "no", go to item 22) b. 🔀 Exhibit B. Statement of Distinctness c. 🔯 Exhibit C. Objective Description of Variety 20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES? ☐ YES ☐ NO d. X Exhibit D. Additional Description of the Variety (Optional) IF YES, WHICH CLASSES? FOUNDATION REGISTERED CERTIFIED e. 💢 Exhibit E. Statement of the Basis of the Owner's Ownership ιZ 21. DOES THE OWNER SPECIFY THAT SEED OF THIS YES VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? ■ NO g. Filing and Examination Fee (\$2,705), made payable to "Tree States" (Mail to the Plant Variety Protection Office) IF YES, SPECIFY THE FOUNDATION REGISTERED CERTIFIED (If additional explanation is necessary, please use the space indicated on the re-HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U.S. OR OTHER COUNTRIES? 23. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENTY) ☐ YES ☐ YES KI NO IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.) IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.) The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. SIGNATURE OF OWNER teshe NAME (Please print or type) Stephen W. Johnson

CAPACITY OR TITLE

7-22-02

DATE

Exhibit A

ORIGIN AND BREEDING HISTORY OF CINDY LOU (CIS-FRR 7) STRONG CREEPING RED FESCUE

Cindy Lou strong creeping red fescue (Festuca rubra L. subsp. rubra) is a turf-type cultivar selected for dark green color, increased shoot density, leaf spot resistance and improved turf quality from the progenies of 240 clones.

One hundred percent of the parental germplasm of Cindy Lou traces its origin to plants selected from old turfs of the United States during the period from 1962 through 1990 by turfgrass scientists at the New Jersey Agricultural Experiment Station. Ninety percent of the harvested plants trace their maternal origin to a plant found in the Rose City Cemetery, Portland, OR.

Plants selected from old turfs were subjected to evaluation in spaced-plant nurseries, frequently mowed turf trials, and greenhouse test for resistance to powdery mildew (caused by *Erysiphe graminis* DC). Progenies from intercrossing the best performing selections were then subjected to many cycles of recurrent phenotypic selection with each cycle followed by single-plot progeny tests in closely mowed turf trials. Tillers were subsequently selected from the best performing turf plots to initiate additional cycles of selection. Greenhouse facilities were also used to select disease resistant, lower-growing plants with abundant tillers, and a rich, bright, dark green color.

The most promising plants were identified by their persistence, appearance and performance in spaced-plant nurseries, mowed clonal evaluation tests, and single-plant progeny trails under turf maintenance. Intercrosses of the best performing plants were subjected to varying cycles of phenotypic and genotypic selection depending on their date of collection. New sources of germplasm were added to the breeding program as it became available from the continuing collection program. Each cycle of selection showed continued progress in producing lower-growing, darker green, finer leaf texture, attractive plants with improved turf performance scores.

Single-plot progenies of 707 clones selected from the Rutgers turfgrass breeding program were seeded in individual turf plots at North Brunswick and Adelphia New Jersey during the late summers of 1992 and 1993. In the spring of 1995 two nurseries consisting of 1020 plants total were established from the same best performing turf plots above. Fourteen plots were selected from the 1993 test and three plots were selected from the 1992 test. Thirty-nine plants were selected from these nurseries prior to anthesis and moved to an isolated crossing block in 1996. Plants were selected for low growth habit, fine leaf texture and medium green color. Seed harvested from these plants was germinated and several thousand young plants were screened for medium-green color, low growth habit and high shoot density, approximately seventy-five percent of the plants were discarded. The 1,984 that remained plants were used to establish a nursery in the spring of 1997. During the spring of 1998, approximately 72 percent of the plants in this nursery were rogued for light green color, disease susceptibility, poor seed yield potential and non-uniform growth habit leaving 546 plants remaining. Two hundred and forty

plants from seven different mother lines were harvested from this nursery with excellent floret fertility and freedom from disease. Approximately 30 pounds of breeder seed was produced from these 240 plants. Breeder seed was sent to Cobeco International Seeds the fall of 1998. A portion of this seed is maintained by Cobeco International Seeds and may be used to plant new breeder seed fields when necessary.

The variety Cindy Lou has appeared uniform and stable during multiplication from breeder to foundation generations. Cindy Lou has a small percentage (<0.25%) of plants (**Lucati)* that are somewhat taller and coarser than the rest of the population. The percentage of these plants appears to be stable when seed is multiplied from breeder to foundation generation.

Exhibit B

Statement of Distinctness

Cindy Lou strong creeping red fescue (Festuca rubra rubra) is a medium-late variety developed for use in turf.

Lou is Cindy Louis most similar to the variety Shademaster. Differences between Cindy Lou and Cindy include, but are not necessarily limited to the following:

Shademaster (183:3/18/2005) per applications.

1. Cindy Lou has shorter panicles when grown as spaced plants in western Oregon. (11.5 cm vs. 14.5 cm).

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Fine Leaved Fescues)

OBJECTIVE DESCRIPTION OF VARIETY

FOR OFFICIAL USE ONLY

Halsey	229 . OR 97348	PVPO NUMBER Acolool30
Place the ap or 0 9 be for SPAC 1-5;5=	propriate number that describes the varietal character of this variety in the boxes below. Up. Characteristics described including numerical measurements, should represent those the ED PLANTS. Royal Horticultural Society or any recognized color fan may be used to det	Ise leading zeroes when necessary (e.g., 0 8 9 at are typical for the variety. Measured data should
	: (With comparison varieties for use below - use varieties within species of application vari	ety)
3	1 = F. rubra ssp. commutata (Chewings) 11 = Cascade 12 = High 14 = Banner 15 = Barfe 1	olla ght 23 = Merlin
	5 = F. longifolia (Hard) 51 = Durar 52 = Biljan	t (C-26) 53 = Scaldis
	6 = F, tenuifolia (Fine-Leaved Sheep) 61 = Panda 62 = Baro	k
•	7 = Other (Specify) F.	
2. CYTOLO	GY:	
5 6	Chromosome Number 4 Ploidy 1 = diploid 4 = octoploid 2 = tetrapl	oid 3 = hexaploid
3. ADAPTA	TION: (0 = Not Tested; 1 = Not Adapted; 2 = Adapted) Northeast 2 Southeast 2 North Central 2 Pacific N.W.	Other (Specify)
4. MATURI	TY: Date First Headed (panicle emergence) Location(s) of Trail(s) Harrisburg	OR
4	Maturity Class: 1 = Very Early (Covar) 2 = Early (Highlight) 4 = Medium Late (Cascade, Ruby) 5 = Late (Jamestown, Agram)	3 = Medium Early (Boreal, Dawson) 6 = Very (Late
	Date Headed April 29	Ç ^M
03	Days earlier than Cindy	
0 3	Days later than	
5. PLANT H	EIGHT: (At maturity; to top of panicle; Average of 10 tallest culms)	•
0 1 2	mm height	
	Height same as Cindy Comparison Variety N/A mm taller than	
6. GROWTH	HABIT: (Mature)	
3	1 = Erect (Ruby) 2 = Semi-erect (Highlight) 3 = Prostrate	(Silvana)
7. RHIZOM	S:	
4 5 2	mm Length 13 mm Width 09 mm Internode length	•
8/05 3	1 = Absent (Highlight) 2 = Weakly Creeping (Dawson) 4 = Very Strongly Creeping (Fortress)	3 = Strongly Creeping (Boreal)

8:-LEAF-B	LADE:			1.004.00230
4	Color: 1 = Light Green (Light) 4 = Dark Green (Jamestown, Mai 7 = Other (Specify)	2 = Medium Light Green (noir) 5 = Bluegreen (Saphir)	(Highlis. ,	3 = Medium Dark Green (Ruby, Agram 6 = Graygreen (Scaldis)
1		= Absent (Koket) 2 = Pr	resent (Vendome)	
2		[(Basal) 1 = Absent	2 = Present
	Margins: 1 = Smooth 2 = Semi-		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2 Troyont
2		d inward (closed-Highlight)	2 = Flat (ope	n-Jamestown, Engina)
2	Width class: 1 = Very Fine (Agram, Frida) 3 = Medium Fine (Fortress, Ruby		mestown, Highlight, E Coarse (Engina)	Sanner, Dawson)
9 7 8	mm Length (flag leaf)	, and a second s	Coarse (Eligina)	
3 9	mm Shorter than Navigator	TT)		
<u></u>	Blade length same as Cindy	Comparison Variety		
	mm Longer than N/A	 		
2 2 2	mm Width (flag leaf)	1		
	mm Narrower than , N/A	┌)		
	Blade width same as Cindy	Comparison Variety		
	mm Wider than			
9. LEAF SH	EATH:			
[2]	Anthocyanin (seedling): 1 = Absen	t (Highlight) 2 = Present (J	Jamestown, Fortress,	Marga)
1	Auricle Hairiness: 1 = Absen	t 2 = Present		
2	Margins: 1 = Open (Highlight).	2 = Closed (Jamestown)	•	
10. PANICLE	(Mature plant):			· · · · · · · · · · · · · · · · · · ·
3	Shape: 1 = Narrow-tapering	? = Ovate 3 = Oblong	4 = Other (Specify)
2	Type: 1 = Open 2 = inte	ermediate 3 = Compact		
1	Orientation: 1 = Erect	2 = Nodding		
I	Branch Pubescence: 1 = Glabrous	2 = Pubescent		
1	Anther Color:		:	
4	Glume Color (At 50%	2 = Green 6 = Other (Specify)	3 = Bluish Green	4 = Purplish
1116	flowering):		12	<u></u>
13	mm Length	- 7 \		
[T]3]	mm Shorter than Cindy	= 1		
	Panicle length same as N/A	Comparison Variety		
	mm Longer than . N/A]		
11. PALEA:	 			
2		ent (Banner) 2 = Short (Agram, Scaldis, Olds))

			200200230
12. LEMMA	(Mature):		
3	Hairs: 1 = Absent (Jamestown)	2 = Several	3 = Many (Highlight)
6 4	mm Lemma Length		
0 8	mm Shorter than . Flyer] }	
	Lemma length same as Cindy	Comparison	Variety
	mm Longer than . N/A	[}	
1 1 3	mm Lemma Width	.	
	mm Narrower than . N/A)	
	Lemma width same as Navigator	Comparison	Variety
	mm Wider than N/A	}	
2	Awns: 1 = Absent 2 = Pre	sent	
1 8	mm Awn Length		
	mm Shorter than N/A	. }	
	Awn length same as . Cindy	Comparison \	Variety
	mm Longer than N/A)	
13. SEED (Wit	h lemma & palea):		V-144
4	Size Class (g/1000 seed): 1 = < .9g (Biljart, Dawson)	2 = .9 - < 1.1	1g (Jamestown, Highlight)
जिल्ला स्टू	3 = 1.1 1.3g (Fortress, Novorubra)		oreal, Golfrood)
1450	mg per 1000 seed		
	mg per 1000 seed less than . N/A		
	Seed Weight same as	34	Comparison Variety
	mg per 1000 more than . N/A	- 🔲 🕽	
14. DISEASE, II	SECT, AND NEMATODE REACTION (0 = No	t Tested, 1 = Suscep	tible, 2 = Resistant):
	Melting-out Drechslera poae (Helminthosporium vagans)	0	Stripe rust P. striiformis
Г	Leaf spot D. siccans	0	Leaf rust P. poae-nemoralis
\- -	Net blotch D. dictyoides	b	P. crandallii
ŗ	Leaf spot Bipolaris sorokiniana		Pythium Blight Pythium ultimum
ř	2 Brown patch Rhizoctonia solani	12	Red thread Corticium fusciforme
ř	2 Powdery mildew Erysiphe graminis	<u>o</u>	Dollar spot Sclerotinia homoeocarpa
· ·	Stripe smut Ustilago striiformis		Insect
Ī,	F. Patch, Pink snow-mold Fusarium nivale	Ľ	Nematode
	Fusarium blight F. tricinctum, F. roseum	Ц	Other
ñ	Gray snow mold Typhula iotana	닏	Other
	Stem rust Puccinia graminis		Other
-	•		

15. GIVE VARIETY OR VARIETIES THAT MOST CLOSELY RESEMBLE THE APPLICATION VARIETY. For the following characteristics indicate Degree of Resemblance by placing the column marked, D.R., one of the following numbers:

1 = Application variety is less than comparison variety.
3 = More than, better, greater, darker, more disease resistant, etc.

		Growth Habit	Cindy	. 2
Cindy	2	Leaf Color	Cindy	3
		Panicle Shape	Cindy	2
		Cold Injury		
		Heat		
		Disease*		
	Cindy	Cindy 2	Panicle Shape Cold Injury Heat	Panicle Shape Cindy Cold Injury Heat

^{*} Specify each disease evaluated.

Describe all characteristics that cannot be adequately described in the form above in Exhibit D. Comparative varieties should be used as may be appropriate, such as for disease. Append all comparative trial and evaluation data, including measured characters, environmental, and disease tests.

^{16.} ADDITIONAL DESCRIPTION: (Use additional sheets as required)

EXHIBIT D

Table 1. Heading dates of strong creeping red fescues grown near Harrisburg, Oregon

	 -	leading Da	te
Variety	2000	2001	Average
Shademaster	April 25	April 27	April 26
Boreal	April 25	April 26	April 26
Cindy Lou	April 27	April 30	April 29
Cindy Lou Ensylva	April 27 April 29	April 30 April 30	April 29 April 30

EXHIBIT D

Tab1e 2. Morphological traits of strong creeping red fescue varieties grown near Harrisburg, Oregon

	Pa	nt Heigh	t (cm)	Panic	de Lend	th (cm)	1st Inter	a l about	(mu) (hou)	200	- 0000	mo, Hann	- 3	7 9 0 0	1
Variety	2000	2001	Average	2000	2001	Average	2000	2007	Average	֓֞֞֝֟֓֓֓֓֟֟֝֓֓֓֓֓֓֓֓֟֟	2004	Average	ဘ္ရ	ear Leng	jin (cm) Augses
Flyer	91.13	91.93	91.53	15.50	14.98	15.24	42.06	46.29	44 18	48	15.02	16 01	રા≿	1308	44 04
Boreal	83.72	88.85	86.29	15.97	15.28	15.63	38.77	44 71	41.74	-	18.00	26.6	36	14.25	12.04
Shademaster	83.17	83.07	83.12	15.20	14.69	14.95	37.89	43.91	40.90	- 7-	15.53	16.39	. C	5 6	11.00
Navigator	77.98	81.12	79.55	15.39	15.91	15.65	33.29	40.35	36.82	<u>د</u>	13.25	7 7 7 8	5 6	13.70	12.00
Ensylva	78.37	80.66	79.51	13.98	15,93	14.96	37 63	42 43	40.03	ξ.	13.29	14.58	5 g	5.5	5.0
Cindy	74.97	78.82	76.89	13.74	14.53	14.14	35.26	37.20	36.23	1	12.79	15.05	2 =	10.0	20.00
Cindy Lou	73.22	75.24	74.23	11.58	11.53	11.58 11.53 11.56 36,41	36.41	36,41 39,59	38.00	5	11.65	66 11.65 12.66 8.6	- 크	10.92	10.92 9.78
1	;	:		:									:1		
rsn	6.73	10.21		1.65	<u>~</u>		9. 3.	8 3		3.50	3.3		3.20	2.32	

EXHIBIT D

Table 3. Additional Morphological trait of strong creeping red fescue varieties grown near Harrisburg, Oregon

	Flag	eaf Wit	dth (mm)	Tiller	eafled	oth (cm)	Tillori	oof the	dsh (mm)	7,7	1 300	, the tensor
Variety	200	2001	diversion of	0000	200	מינים לינוים	5 6	ימשו אאו		o Aed	carten	gin (cm)
1			No. age		7	Avelage	2000	2007	Average	88	2001	Average
rıyer	2.08	4.04 4.04	2.36	11.48	12.62	12.05	2.88	1,80	2.34	32 18	25 10	28.64
Boreal	3.43	2.27	2.85	11.24	13.68	12.46	2.97	2.06	2.51	34 17	27.00	30.50
Shademaster	2.82	2.17	2.17 2.50	12.58	12.13	12.13 12.36	233	90	232 199 215	33 10	25.40	25.00 00.05
Navigator	2.97	231	264	13.06	17.76	44.36	6		2 9	2 6	2 6	60.60
,	i	i	1	9	<u>;</u>	4.50	7.07	2	7.48	38.16	34 03	36.59
Ensylva	2.45	1./4	2.09	9.03	1.4	10.22	2.33	1.68	2.00	31.21	24 81	28.01
Cindy	2.43	2.23	2.33	8.75	11.48	10.12	2.60	196	2.28	28.04	22 02	26.48
Cindy Lou	2.12	2.32	2 22	75	**	10 33	77.6	ć	7		70.77	20.40
200	i	i	4144	5		10.33	41.7	6. 7	7.10	23.42	27.03	28,22
20	9	Š					;					
LoD	0.03			4.04	2.01		0.64	0.53		5.65	ς. 200	

EXHIBIT D

Table 4.

Seed characteristics of strong creeping red fescue varieties grown near Harrisburg, Oregon

	10 Se	ed Lenath	(mm)	40.04	Athirth Pa	-	•	•				
Variety	2000	2001	Average	2000	000 2001	= ~	AWD	Length (mm)	100	0 seed wt (g)	(a)
Boreal	70 70	75 22	72.00	50.00	100	אבומאני	2000	7007	Average	2000	2001	Average
ī	5	9	20.02	2.00	0.0		217	2 10	370	7	3	
Flyer	68.00	74.33	71 17	10.87	40.67		. !	i	2	<u>:</u>	ان ک	1.51
C. Proce	1 0	. (2.4	0,0		7.5/	2.03	2.30	200	7 27	4 60
LIISYIVA	98.67	69.33	00.69	11 00	110		7,		i	3	ţ Ċ	00
Cindy	10 10	14.04			3		7.7	8	7.30	89	7.55	1 47
5	04.0	0	08.1	11.67	10.67		2 18	77.	10.4		1	-
Shademaster	65.00	RO 87	67.22	7			2 :	±		20.	90.	1.37
		2	00.00) -	0.33		23	ď	000	70,	•	1
Navigator	64.67	00 69	66 84	11.87	5			2		0.	۱. د	T.5.1
		9 1	2	· ·	20		2.63	.63	2.13	1 60	111	67.7
Cindy Lou	61.00	67.00	64.00	11 67	11.00		0	•	; ;	9	<u>+</u>	74.
					3	1	67.7	1.39	1.84	1.61	1.29	1.45
LSD @ 0.05	5.82	5.59		ď.	ď.		OI4	•		,		
				?	2		2	4.0		0.18	0.20	

REPRODUCE LOCALLY Include form numbs ! edition date on al	reproductions.	ORM APPROVED - OMB No. 0581-0055
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to detectificate is to be issued (7 U.S.C. 24 confidential until the certificate is issued.	armine if a plant variety protection (21). The information is held
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
JLF and Rutagers, The	OR EXPERIMENTAL NUMBER	Water to the transfer of the contract
Jos Cebeco International Seeds Inc. U State University of New Jersey (81: #18/20	CIS-FRR 7	Cindy Lou
4. ADDRESS (Surer and real or R.F.D. No. Yeary, State, and ZIP, and Country)	5. TELEPHONE (Arctude area code)	6. FAX (Include area code)
PO Box 229/175 West 'H' Street Halsey, OR 97348	541-369-2251	541- 369-2640- 929+40 <i>84 (8</i> 7: <i>8/18/2</i> 6
USA	7. PVPO NUMBER 2002 (00230
8. Does the applicant own all rights to the variety? Mark an "X" in the	appropriate block. If no, please expl	ain X YES
9. Is the applicant (individual or company) a U.S. National or a U.S. b	ased company? If no, give name of co	nuntry X YES NO
10. Is the applicant the original owner? YES NO	If no please anguar one of the fell	· · · · · · · · · · · · · · · · · · ·
X 120 NO	If no, please answer one of the foll	owing:
a. If the original rights to variety were owned by individual(s), is (a	re) the original owner(s) a U.S. Nationa	(s)?
☐ YES ☐ NO	If no, give name of country	
b. If the original rights to variety were owned by a company(ies),	is (are) the original numer(e) a 11 S. hae	ed company?
		ed company:
YES NO	If no, give name of country	
11. Additional explanation on ownership (If needed, use the reverse for	r extra space):	
THE Cindy Lou was developed by Colored Internation the New Jersey Agricultural Experimen	tional Seeds using germpl nt Station.	asm obtained
	•	
PLEASE NOTE:		<u> </u>
Plant variety protection can only be afforded to the owners (not license	es) who meet the following criteria:	·
. If the rights to the variety are owned by the original breeder, that per national of a country which affords similar protection to nationals of t	son must be a U.S. national, national of he U.S. for the same genus and species	a UPOV member country, or
. If the rights to the variety are owned by the company which employer nationals of a UPOV member country, or owned by nationals of a co- genus and species.	d the original breeder(s), the company i untry which affords similar protection to	nust be U.S. based, owned by nationals of the U.S. for the same
. If the applicant is an owner who is not the original owner, both the ori	ginal owner and the applicant must me	et one of the above criteria.
he original breeder/owner may be the individual or company who direct for definitions.	cted the final breeding. See Section 41	(a)(2) of the Plant Variety Protection
	a person is not required to respond to a collection	